

# Panels & Switches

All Packaged One Per Pack - Consult Price Sheet For Bulk Packaging

*Works With All 1/2" Mount Hole Switches*



**#5501PT (#5501C)**  
Toggle Switch Panel  
1/2" Hole Diameter  
1-3/8" x 1-5/8"  
Black Modular Style



**#5502PT (#5502C)**  
Rocker Switch Panel  
1/2" x 1-3/16" Rectangular Hole  
1-3/8" x 1-5/8"  
Black Modular Style



**#5503PT (#5503C)**  
Ignition Switch - 2 keys  
Accessory-Off-Ignition-Start  
3/4" Mount Hole  
Heavy Duty Plated Steel  
4 #10 Stud Copper Terminals  
12 Volt 30 Amp



**#5504PT (#5504C)**  
Horn Button  
Flush Mount  
2 #6 Screw Contacts  
Nickel Plated Housing  
Black Plastic Button  
12 Volt 5 Amp



**#5505PT (#5505C)**  
Horn Button  
1-3/4" Diameter Ivory Button  
2 #6 Screw Contacts  
Bracket with Screws  
Fits Up To 1-1/2" Steering Column  
12 Volt 5 Amp

*Dielectric Grease  
Page 29*



**#5506PT (#5506C)**  
Door Jamb Switch  
Self Grounding in Metal Panel  
Contact Open when Plunger Depressed & Spring Return to Ground & Closed Contact  
3/8" Travel Length - 2" Overall  
.157" Bullet Receptacle End  
12 Volt 1 Amp



**#5507PT (#5507C)**  
Door Alarm Switch  
Doors - Hoods - Trunks  
Off When Button Pushed  
Spring Return to On  
Dual Mounting Holes  
12 Volt 10 Amp



**#5508PT (#5508C)**  
Momentary Grounding Switch  
Push Button Momentary On  
Self Grounding in Metal Panel  
With .157" Bullet Receptacle  
Snaps Into 15/16" Hole  
6 Volt 15 Amp  
12 Volt 10A / 24 Volt 6A



**#5509PT (#5509C)**  
Heavy Duty Push Button  
Momentary On  
Rubber Dust & Moisture Resistant Boot Nut  
5/8" Mount Hole  
12 Volt 60 Amp



**#5512PT (#5512C)**  
Push Button  
Momentary On  
5/8" Mount Hole  
6 Volt 25 Amp  
12 Volt 15 Amp



**#5514PT (#5514C)**  
Push-Pull Headlamp Switch with 15 Amp Fuse  
3 Position Off-On-On  
Pull For On  
5 Screw Terminals  
3/8" Mount Hole  
12 Volt 15 Amp



**#5520PT (#5520C)**  
On-Off Push-Pull SPST  
1" Handle Pulls For On  
Red Illuminated  
2 Screw Terminals  
1/2" Mount Hole  
6 Volt 25 Amp  
12 Volt 15 Amp  
Uses Bulb #282



**#5521PT (#5521C)**  
On-Off Push-Pull SPST  
2 Screw Terminals  
1/2" Mount Hole  
6 Volt 25 Amp  
12 Volt 15 Amp



**#5522PT (#5522C)**  
On-Off Push-Pull SPST  
Heavy Duty  
Chrome Plated Metal Knob  
2 Copper Terminals with 2 Brass Screws  
1/2" Mount Hole  
6-28 Volt 75 Amp



**#5527PT (#5527C)**  
Brass Marine Push-Button  
Momentary On SPST  
Starter & Horn Switch  
Chrome Plated Brass Button  
2 Brass Screw Terminals  
1-1/4" x 5/8" Mounting Stem  
6 Volt 25 Amp  
12 Volt 15 Amp



**#5528PT (#5528C)**  
Brass Marine Push-Pull  
On-Off SPST Switch  
Chrome Plated Knob  
2 Brass Screw Terminals  
1-1/4"x3/8" Mounting Stem  
6 Volt 25 Amp  
12 Volt 15 Amp



**#5529PT (#5529C)**  
Brass Heavy Duty  
Ignition Starter Switch  
Accessory-Start-Off  
3 Brass Screw Terminals  
1-1/8" x 13/16" Mounting Stem  
6 Volt 25 Amp  
12 Volt 15 Amp



**#5579PT (#5579C)**  
Euro On-Off Push-Pull  
Short Style SPST  
Plastic Knob  
With 2 M3 Screws  
5/16" Mount Hole  
12 Volt 16 Amp



**#5574PT (#5574C)**  
Master Battery Disconnect  
2 3/8" Brass Stud Terminals  
3/4" Mount Hole  
For Battery Circuit Only  
On - Off SPST 6-36 Volt  
190 Amp DC Continual  
1000 Amp DC Momentary



*Additional Keys: #5575-KEYC 1/pk*

**#5575PT (#5575C)**  
Battery Cut-Off Switch  
Theft & Fire Protection  
2 Position On-Off 12 Volt  
7/8" Mount Hole  
Includes Removable Key  
Moisture Proof Cap  
350 Amp DC Continual  
500 Amp DC Momentary

*More Information  
See Page 26*

All Items with QT, KT, ET, GT or PT Suffix are Clam Shell Program Items.

# Panel Lights & Rocker Switches

Dielectric Grease  
Page 29



All Packaged One Per Pack - Consult Price Sheet For Bulk Packaging

**SPST:** Single Pole, Single Throw switches control a single wire circuit with two positions Off - ON.

**SPDT:** Single Pole, Double Throw switches control two single wire circuits permitting only one circuit to be energized at a time. Can be two positions ON - ON or three positions ON - OFF - ON.

**DPST:** Double Pole, Single Throw switches control two circuits simultaneously. Circuits are ON at the same time, and OFF at the same time.

**DPDT:** Double Pole, Double Throw switches control four circuits, permitting only two circuits to be energized at a time. Can be two positions ON - ON or three positions ON - OFF - ON.



Indicator Light Illuminated  
Fits 1/2" Round Mount Hole  
Nylon Housing  
2 1/4" Male Tabs  
12 Volt 16 Amp

- #5523PT (#5523C) - Blue
- #5524PT (#5524C) - Amber
- #5525PT (#5525C) - Red
- #5526PT (#5526C) - Green



Indicator Light LED Illuminated  
Fits 3/8" Round Mount Hole  
Chrome Plated Metal Housing  
2 1/4" Male Tabs  
Attach Power Wire To + Tab  
12 Volt 15 Amp

- #5564PT (#5564C) - Red
- #5565PT (#5565C) - Blue (clear lens)
- #5566PT (#5566C) - Amber
- #5567PT (#5567C) - Green



#5515PT (#5515C)  
On-Off Rocker  
Jumbo Black  
1/4" Male Tabs  
1/2" Round Mount Hole  
12 Volt 16 Amp

On-Off Rocker  
Jumbo Illuminated  
1/4" Male Tabs  
1/2" Round Mount Hole  
12 Volt 16 Amp

- #5516PT (#5516C) - Red
- #5517PT (#5517C) - Amber
- #5518PT (#5518C) - Blue
- #5519PT (#5519C) - Green



#5531PT (#5531C)  
On-Off Black Rocker  
SPST  
Non-Illuminated  
1/4" Male Tabs  
1/2" x 1-1/8" Mount Hole  
12 Volt 16 Amp



On-Off Rocker SPST  
Illuminated - 1/4" Male Tabs  
Black Nylon Housing  
1/2" x 1-1/8" Mount Hole  
12 Volt 16 Amp

- #5530PT (#5530C) - Red
- #5532PT (#5532C) - Blue
- #5534PT (#5534C) - Amber
- #5535PT (#5535C) - Green



On-Off Rocker  
Illuminated  
Oval Housing & Lens  
SPST  
3 1/4" Male Tabs  
1/2" Round Mount Hole  
12 Volt 25 Amp  
24 Volt 15 Amp

- #5580PT (#5580C) - Red
- #5581PT (#5581C) - Blue
- #5582PT (#5582C) - Amber
- #5583PT (#5583C) - Green



On-Off Rocker  
LED Dot Illuminated  
Oval Housing & Lens  
SPST  
3 1/4" Male Tabs  
1/2" Round Mount Hole  
12 Volt 25 Amp  
24 Volt 15 Amp

- #5584PT (#5584C) - Red
- #5585PT (#5585C) - Blue
- #5586PT (#5586C) - Amber
- #5587PT (#5587C) - Green



All Items with QT, KT, ET, GT or PT Suffix are Clam Shell Program Items.



# Toggle Switches

All Packaged One Per Pack - Consult Price Sheet For Bulk Packaging



**#5510PT (#5510C)**  
On-Off Toggle SPST  
3/4" Metal Bat Handle  
1/2" Mount Hole  
12 Volt 15 Amp  
125 VAC 10 Amp



**#5511PT (#5511C)**  
On-Off Toggle SPST  
1/4" Metal Ball Handle  
With Indicator Plate  
1/2" Mount Hole  
12 Volt 10 Amp  
125 VAC 5 Amp



**#5513PT (#5513C)**  
On-Off Toggle w/Boot Nut  
2 Position - 2 Terminal  
3/4" Handle Length  
2 1/4" Male Tabs  
Moisture Proof  
Metal Body - Dipped  
12 Volt 20 Amp



**#5588PT (#5588C)**  
On-Off Toggle SPST  
Waterproof  
Bat Handle With Boot  
2 6" 16 Ga Wire Lead  
1/2" Mount Hole  
12 Volt 25 Amp



**#5589PT (#5589C)**  
Momentary On-Off-  
Momentary On Toggle  
SPDT - 3 Position  
Waterproof  
Bat Handle With Boot  
3 6" 16Ga Jacketed Wire Leads  
1/2" Mount Hole  
12 Volt 25 Amp



**#5546PT (#5546C)**  
On-Off-On Toggle SPDT  
5/8" Metal Bat Handle  
With Indicator Plate  
1/2" Mount Hole  
12 Volt 10 Amp  
3/4 HP 120-240 VAC



**#5547PT (#5547C)**  
On-Off Toggle SPST  
3/4" Metal Bat Handle  
With Indicator Plate  
2-16 ga Wire Leads  
12 Volt 15 Amp  
125 VAC 10 Amp



**#5576PT (#5576C)**  
On-Off Toggle SPST  
1/2" Metal Bat Handle  
With Indicator Plate  
1/2" Mount Hole  
120 VAC 6 Amp  
240 VAC 3 Amp



**#5577PT (#5577C)**  
On-Off Toggle SPST  
5/8" Metal Bat Handle  
With Indicator Plate  
1/2" Mount Hole  
12 Volt 20 Amp



**#5578PT (#5578C)**  
Momentary On-Off  
Toggle SPST  
5/8" Metal Bat Handle  
With Indicator Plate  
1/2" Mount Hole  
12 Volt 20 Amp



**#5571PT (#5571C)**  
On-Off Toggle SPST  
Red LED Lighted Tip  
Brushed Aluminum Handle  
7/8" Handle Length  
1/2" Mount Hole  
12 Volt 15 Amp



**#5548PT (#5548C)**  
On-Off Toggle DPST  
3/4" Handle Length  
4 Screw Terminals  
12 Volt 25 Amp  
125 VAC 20 Amp



**#5549PT (#5549C)**  
On-Off-On Toggle DPDT  
3/4" Handle Length  
6 Screw Terminals  
12 Volt 25 Amp  
125 VAC 20 Amp



**#5558PT (#5558C)**  
Moment On-Off-Moment  
On DPDT Toggle  
3/4" Handle Length  
6 Screw Terminals  
12 Volt 25 Amp  
125 VAC 20 Amp



Toggle Safety Cover  
Spring Loaded Design  
Fits Most Bat Style Toggles  
**#5568PT (#5568C) Red**  
**#5569PT (#5569C) Black**




**#5599PT (#5599C)**  
Red Toggle Cover  
& On-Off Toggle  
(#5568 + #5577)  
1/2" Mount Hole  
12 Volt 20 Amp



**#5570PT (#5570C)**  
Weather Resistant Boot  
With 1/2" Mounting  
Nut and Washer  
Fits 3/8" - 5/8" Length  
Toggle Switches

On-Off Toggle SPST  
Illuminated  
Nylon Housing  
1/4" Male Tabs  
1" Handle Length  
1/2" Mount Hole  
12 Volt 16 Amp



**#5536PT (#5536C) - Red**  
**#5537PT (#5537C) - Blue**  
**#5538PT (#5538C) - Amber**  
**#5539PT (#5539C) - Green**

On-Off Toggle SPST  
LED Illuminated Tip  
Black Nylon Housing  
1/4" Male Tabs  
1" Handle Length  
1/2" Mount Hole  
12 Volt 10 Amp



**#5560PT (#5560C) - Red (clear lens)**  
**#5561PT (#5561C) - Blue**  
**#5562PT (#5562C) - Amber**  
**#5563PT (#5563C) - Green**

Black Toggle  
Black Nylon Housing  
1/4" Male Tabs / 1" Handle Length  
1/2" Mount Hole  
12 Volt 16 Amp



**#5540PT (#5540C)**  
On-Off  
SPST



**#5541PT (#5541C)**  
Momentary On-Off  
SPST



**#5542PT (#5542C)**  
On-Off-On  
SPDT

Heavy Duty Toggle  
Chrome Plated With Copper Screw Terminals  
Die Cast Housing With Indicator Plate  
1/2" Mount Hole / 1" Handle Length  
6-12 Volt 50 Amp

**#5543PT (#5543C)**  
On-Off-On  
SPDT



**#5544PT (#5544C)**  
Momentary On-  
Off-Momentary On  
SPDT



**#5545PT (#5545C)**  
On-Off SPST  
Chrome Handle



**#5572PT (#5572C)**  
On-Off SPST  
Red Handle



**#5573PT (#5573C)**  
On-Off SPST  
Black Handle



Indicator Plates Included!